TP-Link 8-Port Gigabit Easy Smart Switch mit 4-Port PoE+

Marke : TP-Link

Artikel-Code: TL-SG108PE V2

Produktname : 8-Port Gigabit Easy Smart Switch mit 4-Port PoE+



8 10/100/1000Mbps RJ45 Ports, AUTO Negotiation/AUTO MDI/MDIX, IEEE 802.3i/u/ab/af/x, IEEE 802.1q/p, 158 x 101 x 25 mm
TP-Link 8-Port Gigabit Easy Smart Switch mit 4-Port PoE+. Switch-Typ: Managed, Switch-Ebene: L2. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. MAC-Adressentabelle: 4000 Eintragungen, Routing-/Switching-Kapazität: 16 Gbit/s. Netzstandard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Power over Ethernet (PoE)



Management-Funktionen	
Switch-Typ *	Managed
Switch-Ebene	L2
Quality of Service (QoS) Support	✔
Web-basiertes Management	✔

Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)
Anzahl Gigabit Ethernet (Kupfer) Anschlüsse	8

Netzwerk	
Netzstandard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x
10G-Unterstützung *	✘
unterstütze Kabeltypen	Cat3, Cat4, Cat5, Cat5e, Cat6
Port-Spiegelung	✔
Link Aggregation	✔
Broadcast-Sturmkontrolle	✔
Ratenbeschränkung	✔
Auto MDI/MDI-X	✔
Auto-Negotiation-Funktion	✔
VLAN-Unterstützung	✔
Virtuelle LAN-Funktionen	Port-based VLAN
Anzahl der VLANs	32

Datenübertragung	
Routing-/Switching-Kapazität *	16 Gbit/s
Transferrate	11,9 Mpps
MAC-Adressentabelle *	4000 Eintragungen
Store-and-Forward	✔
Jumbo Frames Unterstützung	✔

Energie	
Energiequelle *	Gleichstrom
Netzteil enthalten *	✔
AC Eingangsspannung	220 V
AC Eingangsfrequenz	50 Hz
Eingangsstrom	1.25 A
Eingangsspannung	48 V
Stromverbrauch (max.)	65,2 W

Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✔
Anzahl Power over Ethernet (PoE) Anschlüsse	4
Anzahl Power over Ethernet plus (PoE+) Anschlüsse	4
Power over Ethernet (PoE) Leistung pro Anschluss	15,4 W
Gesamtleistung Power over Ethernet (PoE)	64 W

Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 95%
Wärmeableitung	256,19 BTU/h

Gewicht und Abmessungen	
Breite	158 mm
Tiefe	101 mm
Höhe	25 mm

Lieferumfang	
Mitgelieferte Kabel	AC
Benutzerhandbuch	✔

Verpackungsdaten	
Verpackungsart	Box

Datenübertragung	
Jumbo-Frames	15000
Paketweiterleitungsrate (1 Gbit/s)	11900000 pps
Datenpaket-Pufferspeicher	1,5 MB

Sicherheit	
IGMP-Snooping	✔
Loop Protection	✔

Design	
Produktfarbe	Schwarz
LED-Anzeigen	Aktivität, Link, PoE, Leistung, Geschwindigkeit, Status


Verpackungsdaten	
Verpackungsbreite	131 mm
Verpackungstiefe	196 mm
Verpackungshöhe	121 mm
Paketgewicht	860 g

Zertifikate	
Zertifizierung	FCC, CE, RoHS

Logistikdaten	
Warentarifnummer (HS)	85176990



6935364094744



0845973094744



845973094744



6935364094751



5054242560797




1210002616959



1210002616942



0840460602327



840460602327

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date