TP-Link BE3600 Netzwerksender & -empfänger Weiß 2500 Mbit/s

Marke : TP-Link

Artikel-Code: RE235BE

Produktname : BE3600

TP-Link BE3600. Typ: Netzwerksender & -empfänger, Datenübertragungsrate: 2882 Mbit/s, Ethernet LAN Datentransferraten: 2500 Mbit/s. Antennentyp: Extern, Sendeleistung (FCC): 30 dbm. WLAN-Standards: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 7..., WLAN-Band: Dual-Band (2,4 GHz/5 GHz), Bandbreite: 0,32 GHz. Produktfarbe: Weiß, Menge pro Packung: 1 Stück(e). AC Eingangsspannung: 100-240 V, AC Eingangsfrequenz: 50/60 Hz, Eingangsstrom: 0.3 A





Leistungen	
Typ *	Netzwerksender & -empfänger
Datenübertragungsrate	2882 Mbit/s
Ethernet LAN Datentransferraten	2500 Mbit/s
WPS Sicherheit per Tastendruck	✔
Unterstützt Windows-Betriebssysteme	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Unterstützt Mac-Betriebssysteme	MacOS
Unterstützte Linux-Betriebssysteme	✔
Unterstützter Browser	Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other Java-enabled browser

Antenne	
Anzahl der Antennen	2
Antennentyp	Extern
Sendeleistung (FCC)	30 dbm

Netzwerk	
WLAN	✔
WLAN-Standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 7 (802.11be)
WLAN-Band	Dual-Band (2,4 GHz/5 GHz)
Bandbreite	0,32 GHz

Design	
Menge pro Packung	1 Stück(e)
Reset-Knopf	✔

Energie	
AC Eingangsspannung	100-240 V
AC Eingangsfrequenz	50/60 Hz
Eingangsstrom	0.3 A
Stromverbrauch (Standardbetrieb)	15 W
Stromstecker-Typ	Typ B

Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 90%

Gewicht und Abmessungen	
Breite	97 mm
Tiefe	46 mm
Höhe	158 mm

Lieferumfang	
Schnellstartübersicht	✔

Verpackungsdaten	
Verpackungsart	Box

Netzwerk	
Unterstützte Sicherheitsalgorithmen	WPA, WPA2-PSK, WPA3
Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45)	1
Design	
Produktfarbe *	Weiß

Zertifikate	
Konformitätsbescheinigungen	CE, Eidgenössische Kommunikationskommission (FCC), RoHS, UKCA
Merkmale	
Netzwerkfunktionen	Multi-Link Operation (MLO), 320 MHz Channel, 4K-QAM, Multi-RUs

1210002601443

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date