


StarTech.com 4 Port USB 3.0 SuperSpeed PCI Express Schnittstellenkarte mit 4 5Gb/s Kanälen und UASP - SATA/LP4 Strom

Marke : StarTech.com

Artikel-Code: PEXUSB3S44V

Produktname : 4 Port USB 3.0 SuperSpeed PCI Express Schnittstellenkarte mit 4 5Gb/s Kanälen und UASP - SATA/LP4 Strom

StarTech.com 4 Port USB 3.0 PCIe Karte mit 4 dedizierten 5 Gbit/s Kanälen (USB 3.2 Gen 1) - UASP - SATA / LP4 Power - PCI Express Adapter Karte (PEXUSB3S44V)
 StarTech.com 4 Port USB 3.0 SuperSpeed PCI Express Schnittstellenkarte mit 4 5Gb/s Kanälen und UASP - SATA/LP4 Strom. Hostschnittstelle: PCIe, Ausgangsschnittstelle: USB 3.2 Gen 1 (3.1 Gen 1), Formfaktor der Erweiterungskarte: Full-height / Low-profile. Produktfarbe: Schwarz, Maximum Kabellänge: 3 m. Chipsatz: Renesas/NEC - µPD720202, Datenübertragungsrate (max): 20 Gbit/s. Unterstützt Windows-Betriebssysteme: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Unterstützte Server-Betriebssysteme: Windows Server 2008 R2, Windows Server 2012, Windows Server 2016, Windows.... Breite: 15 mm, Tiefe: 167 mm, Höhe: 120 mm



Anschlüsse und Schnittstellen		Systemanforderung	
Hostschnittstelle *	PCIe	Unterstützte Linux-Betriebssysteme	✔
Ausgangsschnittstelle *	USB 3.2 Gen 1 (3.1 Gen 1)	Unterstützte Server-Betriebssysteme	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Formfaktor der Erweiterungskarte	Full-height / Low-profile		
Erweiterungskarte Standard	PCIe 2.0		
USB 3.2 Gen 1 (3.1 Gen 1) Anzahl der Anschlüsse vom Typ A	4		
Anzahl Molex Anschlüsse 4pin	1	Technische Details	
		Konformitätsbescheinigungen	RoHS
Design		Gewicht und Abmessungen	
Eingebaut *	✔	Breite	15 mm
Produktfarbe	Schwarz	Tiefe	167 mm
Maximum Kabellänge	3 m	Höhe	120 mm
		Gewicht	92 g
Merkmale		Verpackungsdaten	
Chipsatz	Renesas/NEC - µPD720202	Treiber enthalten	✔
Datenübertragungsrate (max)	20 Gbit/s	Betriebsanleitung	✔
UASP-Unterstützung	✔	Benutzerhandbuch	✔
Betriebsbedingungen		Verpackungsbreite	211 mm
Betriebstemperatur	0 - 50 °C	Verpackungstiefe	146 mm
Temperaturbereich bei Lagerung	-20 - 60 °C	Verpackungshöhe	41 mm
Relative Luftfeuchtigkeit in Betrieb	5 - 85%	Paketgewicht	202 g
		Logistikdaten	
		Warentarifnummer (HS)	84733020
		Anzahl Produkte pro Versandkarton	40 Stück(e)
		Breite des Versandkartons	444 mm
		Länge des Versandkartons	425 mm
		Höhe des Versandkartons	319 mm

Systemanforderung

Unterstützt Windows-
Betriebssysteme

Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64



0065030854627



065030854627



5054484566939

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.